

# EXTREME ASPHALT



**\*LASER**

## FEATURES

- 15mm segment height\*.
- Patented depth of cut indicator with stroboscope effect\*.
- 8 high wear protection segments\*.
- Exclusive "arrow" shaped\*.
- Wide gullet slot.

## BENEFITS

- Exceptionally long life.
- Depth control allowing life increase.
- Direction of rotation permanently marked.
- Extreme protection of the steel centre from under-cutting.
- Extended life.
- Excellent cutting speed and low vibration.
- High comfort of cut.
- Fast removal of cutting debris.
- Permanently indicates the correct direction of rotation.



\* Only on blades for <20HP machines



Unique laser welded blade suitable for asphalt and abrasive materials. Due to its innovative design, the Extreme Asphalt blade is easy to use, extremely fast cutting and guarantees an accurate cut and very long life. Featuring patented depth indicator for blade life monitoring and indication of cutting direction (up to diameter 450mm). Multiple drop segments for a safer and longer life. Ideal for all high speed saws and floor saws.

For use on asphalt, asphalt over concrete, green concrete and abrasive building materials.


MACHINE	POWER	Ø (mm)	BORE (mm)	SEGMENT H/W (mm)	ITEM No.	EAN 13 Code
	< 20HP	300	20	15/3	701846 94907	5450248 695608
	< 20HP	350	25.4	15/3.2	701846 94537	5450248 689393
	< 20HP	400	25.4	15/3.2	701846 94911	5450248 695615
	< 20HP	450	25.4	15/3.2	701846 94912	5450248 695622
	< 20HP	500	25.4	15/3.6	701846 94913	5450248 695639

Formerly Duo Asphalt+

NAME	MACHINE	POWER	Ø (mm)	BORE (mm)	SEGMENT H/W (mm)	ITEM No.	EAN 13 Code
Asphalt 10		20 - 30HP	350	25.4	10/3.2	701846 40186*	5450248 454922
		20 - 30HP	400	25.4	10/3.2	701846 40189*	5450248 454939
		20 - 30HP	450	25.4	10/3.2	701846 40190*	5450248 454946
		20 - 30HP	500	25.4	10/4.3	701846 40191	5450248 454953
		20 - 30HP	600	25.4	10/4.3	701846 40192	5450248 454977
		20 - 30HP	700	25.4	10/4.3	701846 40193	5450248 699699
		20 - 30HP	800	25.4	10/4.3	701846 40194*	5450248 455097
		20 - 30HP	900	25.4	10/4.3	701846 40195	5450248 455103
		20 - 30HP	1000	25.4	10/4.3	701846 40196*	5450248 455127
	Asphalt 20		30 - 60HP	350	25.4	10/3.2	701846 40197*
		30 - 60HP	400	25.4	10/3.2	701846 40198*	5450248 455141
		30 - 60HP	450	25.4	10/3.2	701846 40199*	5450248 455158
		30 - 60HP	500	25.4	10/4.3	701846 40200*	5450248 455165
		30 - 60HP	600	25.4	10/4.3	701846 40201*	5450248 455172
		30 - 60HP	700	25.4	10/4.3	701846 40202	5450248 455189
		30 - 60HP	800	25.4	10/4.3	701846 40203*	5450248 455196
		30 - 60HP	900	25.4	10/4.3	701846 40204	5450248 455202
		30 - 60HP	1000	25.4	10/4.3	701846 40205*	5450248 455219

\* Available on request

Formerly Platinum





# BLADES FOR ASPHALT & ABRASIVE MATERIALS FOR HAND-HELD CUT-OFF SAWS, FLOOR SAWS & MASONRY SAWS



NAME	MACHINE	POWER	Ø (mm)	BORE (mm)	SEGMENT H/W (mm)	ITEM No.	EAN 13 Code
Asphalt 30		60 - 80HP	350	25.4	10/3.2	701846 40206*	5450248 455226
		60 - 80HP	400	25.4	10/3.2	701846 40207*	5450248 455233
		60 - 80HP	450	25.4	10/3.2	701846 40208*	5450248 455257
		60 - 80HP	500	25.4	10/4.3	701846 40209*	5450248 455264
		60 - 80HP	600	25.4	10/4.3	701846 40210*	5450248 455271
		60 - 80HP	700	25.4	10/4.3	701846 40211*	5450248 455288
		60 - 80HP	800	25.4	10/4.3	701846 40212*	5450248 455295
		60 - 80HP	900	25.4	10/4.3	701846 40213*	5450248 455301
		60 - 80HP	1000	25.4	10/4.3	701846 40214*	5450248 455318
Asphalt 40		>80HP	350	25.4	10/3.2	701846 40215*	5450248 455325
		>80HP	400	25.4	10/3.2	701846 40216*	5450248 455332
		>80HP	450	25.4	10/3.2	701846 40217*	5450248 455349
		>80HP	500	25.4	10/4.3	701846 40218*	5450248 455356
		>80HP	600	25.4	10/4.3	701846 40219*	5450248 455363
		>80HP	700	25.4	10/4.3	701846 40220*	5450248 455387
		>80HP	800	25.4	10/4.3	701846 40221*	5450248 455394
		>80HP	900	25.4	10/4.3	701846 40222*	5450248 455417
		>80HP	1000	25.4	10/4.3	701846 40223*	5450248 455424

\* Available on request

Formerly Platinum

## PRO ASPHALT



**LASER**

- Very good value for money laser welded blade for intensive use and long life.
- Featuring patented depth indicator for blade life monitoring and indication of cutting direction (up to diameter 450mm).
- Undercutting protection on the steel centre thanks to slanted segments.
- For use on asphalt, asphalt over concrete, green concrete and abrasive building materials.

MACHINES	POWER	Ø (mm)	BORE (mm)	SEGMENT H/W (mm)	ITEM No.	EAN 13 Code
	< 20HP	300	20	10/2.8	701846 23182	5450248 234975
	< 20HP	300	25.4	10/2.8	701846 23184	5450248 234999
	< 20HP	350	20	10/3.2	701846 23185	5450248 235002
	< 20HP	350	25.4	10/3.2	701846 23186	5450248 235019
	< 20HP	400	25.4	10/3.2	701846 28159	5450248 391531
	< 20HP	450	25.4	10/3.2	701846 28160	5450248 391548
	< 20HP	500	25.4	10/3.8	701846 11979	5450248 204350
	< 20HP	600	25.4	7/3.8	701846 11980	5450248 204367

Formerly Super Asphalt Evo



## CLASSIC ASPHALT



**LASER**

- Good value for money laser welded blade for dry or wet cutting.
- For use on asphalt, asphalt over concrete, green concrete, abrasive materials and concrete roof tiles.

MACHINES	POWER	Ø (mm)	BORE (mm)	SEGMENT H/W (mm)	ITEM No.	EAN 13 Code
	< 20HP	300	20	10/2.5	701846 26876	545024 8353706
	< 20HP	300	25.4	10/2.5	701846 26877	545024 8353713
	< 20HP	350	20	10/2.8	701846 26878	545024 8353737
	< 20HP	350	25.4	10/2.8	701846 26879	545024 8353744
	< 20HP	400	20	10/3.2	701846 45242	545024 8528043
	< 20HP	400	25.4	10/3.2	701846 26880	545024 8353751
	< 20HP	450	25.4	10/3.2	701846 26881	545024 8353768

500-600mm with undercutting protection segments

Formerly Classic Asphalt







## BLADES FOR GREEN CONCRETE FOR FLOOR SAWS

### PRO GREEN CONCRETE



**LASER**

- Laser welded segments for wet cutting.
- Wear protection segments to help prevent under-cutting of the steel centre.
- For use on green concrete, lignacite and tarmac top blocks.

MACHINES	Ø (mm)	BORE (mm)	SEGMENT H/W (mm)	ITEM No.	EAN 13 Code
	300	25.4	10/2.5	701846 24684	5450248 237815
	350	25.4	10/2.8	701846 24685	5450248 237822

Formerly M45 Evo

