



10TS244

The precision and versatility of a wet saw. Dry.



World's First Dry Cut Tile Saw With Integrated Dust Control

No Water. No Mess. No Problem.

The iQTS244™ is a 254mm dry cut tile saw for professional contractors, designed to eliminate problems with cutting wet, save time, and increase your profitability on tile jobs.

With fully-integrated dust collection technology, this innovative tool allows you to cut tile inside or outside with no water and no dust.

Globally Tested



TNO innovation Rated: 50 meters per 8-hour working day sawing ceramic & natural stone tiles inside & outside

White paper reports available

Integrated dust collection captures up to 99.5% of hazardous silica dust.

Cut dry while protecting the health and safety of your workforce.



Vacuum System



- High output vacuum
- Saw automatically starts vacuum
- Cyclone technology tested to capture over 99.5% of dust

Filter System




- Three-stage filtration
- Quick-Spin® filter for easy cleaning
- iQ Dura Bond filter

Dust Containment



- Empty dust tray once a day
- Easy cleanup and recycling



Cool To The Touch

How does it cut dry without water?

With our Q-Drive™ Blade with Cool Cut Technology.

Through years of experience and testing, we have perfected our proprietary blade with the perfect ratio of high diamond to metal powder concentration. Our Cool Cut Technology, combined with the built-in vacuum on the iQTS244™, keeps the blade cool while cutting.

While cooling, the vacuum also removes the cutting debris so the blade is not regrinding the same material, reducing friction and heat.

- Blade stays cool to the touch
- No warping or wandering
- Precision cuts match the quality of a wet blade

iQTS244™ Accessories













MITER ATTACHMENT

- · 600mm miter cut length capacity
- Miter up to 19mm materials
- 22.5° and 45° miter bevel cuts
- iQ quick clamps facilitate easy setup

EXTENSION TABLE

- Cut large-format, ceramic tile of 1200mm or more
- Heavy duty durable PVC board with smooth cutting surface
- Synchronized measurement scale on each end of table for easy set up and accurate cuts
- Makes the iQTS244 dry cutting tile saw more versatile

VACUUM PORT HOSE KIT

- Easily convert your iQTS244 into a vacuum
- Durable, construction-grade hose and nozzles made to endure years of job site use
- Keeps your work area neat & clean
- Convenient, eliminates the need for a separate vacuum in your workspace



iQTS244

ARE YOU READY TO GIVE UP THE WATER?



Cutting With Water Is A Pain

Water was once required for cutting tile, but it's a pain to deal with and causes problems that cost you money:

- Water increases your setup time
- Finding a water source, buckets and spray guards
- Water makes a mess that has to be cleaned up
- Water prohibits cutting in many locations
- Water disposal of slurry & contaminated water



Cutting Dry: A Game-Changer

Cutting dry will change your cutting operation, making your business more profitable:

- No hoses, buckets or tarps to set up
- Cut right at the work area no matter the size
- Operator stays dry, no splashback, no mess
- Tiles stay dry, lay cuts immediately
- No slurry cleanup, no water disposal

TNO innovation RATED • ELIMINATE THE WATER • SAVE TIME AND MONEY

Specifications

CUTTING DEPTH: 25mm
RIP CUT CAPACITY: 610mm

DIAGONAL CUT CAPACITY: 450mm

VOLTAGE: 230v

TOTAL SYSTEM POWER: 2000 W SAW MOTOR POWER: 1640 W VAC MOTOR POWER: 360 W

VACUUM: 47 dm^3/s SAW WEIGHT: 42kg

SAW DIMENSIONS: 685 x 711 x 864 mm
BLADE SIZE: Q-Drive 254mm Blade
FILTER TYPE: iQ Dura Bond Cartridge

DUST CAPACITY: 5kgs or over 150m of cutting 10mm thick

0161 3392223 / www.multiquip.co.uk

A breakthrough innovation in the tile industry.

